

### Todd County Crop Productivity Index (CPI)

County	Mapunit Symbol	Mapunit Name	CPI
Todd	7A	Hubbard loamy sand, 0 to 2 percent slopes	38
Todd	7B	Hubbard loamy sand, 2 to 6 percent slopes	36
Todd	36	Flom loam	92
Todd	38B	Waukon loam, 2 to 6 percent slopes	89
Todd	38C	Waukon loam, 6 to 12 percent slopes	74
Todd	53B	Kandota sandy loam, 2 to 6 percent slopes	88
Todd	53C	Kandota sandy loam, 6 to 12 percent slopes	79
Todd	53D	Kandota sandy loam, 12 to 25 percent slopes	46
Todd	75	Bluffton loam	86
Todd	82B	Redeye loamy sand, 2 to 6 percent slopes	57
Todd	82C	Redeye loamy sand, 6 to 12 percent slopes	50
Todd	111	Hangaard sandy loam	29
Todd	121	Wykeham fine sandy loam	87
Todd	127A	Sverdrup sandy loam, 0 to 2 percent slopes	52
Todd	127B	Sverdrup sandy loam, 2 to 6 percent slopes	49
Todd	139B	Huntersville loamy sand, 1 to 4 percent slopes	60
Todd	142	Nokay sandy loam	83
Todd	144B	Flak sandy loam, 2 to 6 percent slopes	81
Todd	144C	Flak sandy loam, 6 to 12 percent slopes	70
Todd	158B	Zimmerman loamy fine sand, 1 to 6 percent slopes	39
Todd	158C	Zimmerman loamy fine sand, 6 to 15 percent slopes	37
Todd	163B	Brainerd sandy loam, 1 to 4 percent slopes	83
Todd	169B	Braham loamy sand, 1 to 6 percent slopes	60
Todd	170	Blomford loamy sand	57

County	Mapunit Symbol	Mapunit Name	CPI
Todd	180	Gonvick loam	98
Todd	183	Dassel mucky sandy loam	72
Todd	200B	Holdingford sandy loam, 2 to 6 percent slopes	87
Todd	200C	Holdingford sandy loam, 6 to 12 percent slopes	70
Todd	202	Meehan loamy sand	42
Todd	204B	Cushing sandy loam, 2 to 8 percent slopes	83
Todd	204C	Cushing sandy loam, 8 to 15 percent slopes	69
Todd	204E	Cushing sandy loam, 15 to 45 percent slopes	10
Todd	207B	Nymore loamy sand, 1 to 6 percent slopes	34
Todd	207C	Nymore loamy sand, 6 to 12 percent slopes	33
Todd	260	Duelm loamy sand	42
Todd	261	Isan loamy sand	36
Todd	292	Alstad sandy loam	97
Todd	325	Prebish fine sandy loam	15
Todd	341A	Arville sandy loam, 0 to 2 percent slopes	44
Todd	341B	Arville sandy loam, 2 to 6 percent slopes	38
Todd	341C	Arville sandy loam, 6 to 12 percent slopes	34
Todd	374B	Rockwood sandy loam, 2 to 6 percent slopes	85
Todd	374C	Rockwood sandy loam, 6 to 12 percent slopes	76
Todd	374D	Rockwood sandy loam, 12 to 25 percent slopes	45
Todd	375	Forada sandy loam	65
Todd	402C	Sioux loamy sand, 2 to 12 percent slopes	28
Todd	402E	Sioux loamy sand, 12 to 25 percent slopes	4
Todd	406B	Dorset sandy loam, 2 to 6 percent slopes	46
Todd	406C	Dorset sandy loam, 6 to 12 percent slopes	44

County	Mapunit Symbol	Mapunit Name	CPI
Todd	413	Osakis sandy loam	45
Todd	421B	Ves loam, 2 to 6 percent slopes	90
Todd	421C	Ves loam, 6 to 12 percent slopes	82
Todd	446	Normania loam	99
Todd	453B	DeMontreville loamy sand, 2 to 8 percent slopes	56
Todd	453C	DeMontreville loamy sand, 8 to 15 percent slopes	48
Todd	454B	Mahtomedi loamy sand, 1 to 8 percent slopes	33
Todd	454C	Mahtomedi loamy coarse sand, 8 to 15 percent slopes	27
Todd	454E	Mahtomedi loamy coarse sand, 15 to 45 percent slopes	6
Todd	458B	Menahga loamy sand, 2 to 6 percent slopes	38
Todd	458C	Menahga loamy sand, 6 to 12 percent slopes	36
Todd	458E	Menahga loamy sand, 12 to 25 percent slopes	10
Todd	514	Tacoosh mucky peat	15
Todd	540	Seelyeville muck	15
Todd	541	Rifle muck	15
Todd	543	Markey muck	15
Todd	544	Cathro muck	15
Todd	545	Rondeau muck	15
Todd	565	Eckvoll loamy sand	60
Todd	571	Coriff sandy loam	84
Todd	572	Lowlein sandy loam	89
Todd	582	Roliss loam	92
Todd	701	Runeberg sandy loam, depressional	15
Todd	703	Paddock sandy loam	78
Todd	720B	Blowers sandy loam, 1 to 5 percent slopes	87

County	Mapunit Symbol	Mapunit Name	CPI
Todd	800B	Kandota-Dorset sandy loams, 2 to 6 percent slopes	69
Todd	800C	Kandota-Dorset sandy loams, 6 to 15 percent slopes	63
Todd	800E	Kandota-Dorset sandy loams, 15 to 40 percent slopes	18
Todd	808	Wykeham-Runeberg sandy loams	79
Todd	823	Hangaard-Sioux complex	28
Todd	824C	Dorset-Sioux sandy loams, 6 to 15 percent slopes	37
Todd	824E	Dorset-Sioux complex, 15 to 30 percent slopes	7
Todd	825	Gonvick-Flom loams	96
Todd	873	Prebish-Nokay sandy loams	42
Todd	928B	Cushing-DeMontreville-Mahtomedi complex, 2 to 8 percent slopes	60
Todd	928C	Cushing-DeMontreville-Mahtomedi complex, 8 to 15 percent slopes	50
Todd	928E	Cushing-DeMontreville-Mahtomedi complex, 15 to 45 percent slopes	19
Todd	967C	Waukon-Langhei loams, 4 to 12 percent slopes	73
Todd	967D	Waukon-Langhei loams, 12 to 25 percent slopes	57
Todd	1015	Psammements, nearly level to sloping	0
Todd	1029	Pits, gravel	0
Todd	1054	Prebish and Histosols, ponded	5
Todd	1055	Aquolls and Histosols, ponded	5
Todd	1356	Water, miscellaneous	0
Todd	1926	Bowstring-Aquents complex	5
Todd	1927	Clotho sandy loam	92
Todd	1932	Runeberg sandy loam	68
Todd	1943	Roscommon loamy sand	32
Todd	1956	Staples loamy sand	61
Todd	W	Water	0